



LEMMY
SHINING DESIGN

MIRAGE[®]
Porcelain.Design.Sustainability

Facciamo la nostra parte per vincere la sfida più importante.

Mirage® ha intrapreso da anni un percorso volto alla riduzione dell' impatto ambientale e alla sicurezza dei propri prodotti.

Ma questo non basta, la salvaguardia del pianeta e delle persone richiede l'impegno di tutti.

È nelle scelte quotidiane, sia personali che di business, che ognuno di noi può adottare atteggiamenti consapevoli per contribuire alla propria salute ed alla tutela dell'ambiente.

Noi ci siamo.... E tu?

#IAMREADY

Scopri di più su mirage.it

We are doing our part to win the toughest challenge facing us.

For many years Mirage® has directed its efforts into reducing its impact on the environment and into product safety.

But it is not enough; protecting the planet and people requires everyone's dedication.

It is in the everyday choices, both personal and business, that each of us can adopt an aware behaviour to contribute to our own health and protection of the environment.

We are ready... Are you? #IAMREADY

Find out more mirage.it



SICUREZZA | SAFETY

Le superfici Mirage® sono inospitali a funghi, muffe e batteri e soprattutto prive di sostanze pericolose per la salute.

NO PIOMBO
NO FORMALDEIDE
NO SILICATO DI ZIRCONIO
NO BENZILBUTILFALATO
NO VOC
NO RADON

Mirage® products are resistant to fungi, moulds and bacteria and most importantly free from substances hazardous to health.

NO LEAD
NO FORMALDEHYDE
NO ZIRCONIUM SILICATE
NO BUTYL BENZYL PHTHALATE
NO COV
NO RADON

CARTA | PAPER

1592 tons

di carta riciclata solo nell'ultimo anno. Come contribuire a salvare un bosco di 4000 alberi.

of paper recycled in the last year. Equivalent to saving a forest of 4,000 trees.



PLASTICA | PLASTIC

386 tons

di plastica riciclata nell'ultimo anno: un beneficio paragonabile all'eliminazione di circa 350 automobili dalla circolazione.

of plastic recycled in the last year: a benefit comparable to the elimination of around 350 cars from the roads.



ACQUA | WATER

10,5%

Riduzione del consumo idrico negli ultimi 3 anni.

Reduction in water consumption in the last 3 years.

100%

Riutilizzo delle acque reflue nel ciclo produttivo.

Reuse of the waste water in the production cycle.



RIFIUTI | WASTE

98,6%

Scarti crudi riciclati all'interno del ciclo produttivo.


Of raw waste recycled within the production cycle.

-15,9%


Riduzione di rifiuti negli ultimi 2 anni.

Reduction of waste in the last two years.

SIZES



THICKNESSES



FINISHES

- SPAZZOLATA
- NATURALE
- STROTTORATA



**LY01
PALLADIUM**

**LY02
NIMBUS**

**LY03
EXCALIBUR**

**LY09
KING**

**LY04
VENOM**

**LY05
AFTERGLOW**

**LY08
PUMPKIN**

**LY07
INDIO**

**LY06
VIRIDIUM**

FRESH BLUE



INDIO

LY07 SP 600x1200 / 24"x48"



WALL . INDIO LY07 SP 600x1200 / 24"x48"

FLOOR . AFTERGLOW LY05 SP 150x600 / 6"x24"

INTENSE COTTO



PUMPKIN

LY08 SP 600x1200 / 24"x48"



WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"

WALL . PUMPKIN LY08 SP 600x1200 / 24"x48"
FLOOR . NIMBUS LY02 SP 600x600 / 24"x24"
SHOWER . NIMBUS LY02 SP 1200x2780 / 48"x110"



CLEAR AND BRIGHT



PALLADIUM

LY01 SP 1200x2780 / 48"x110"



FLOOR . PALLADIUM LY01 SP 600x1200 / 24"x48"
TOP TABLE . JEWELS GI9IA WHITE JW13 LUC



WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"
FLOOR . PALLADIUM LY01 SP 600x600 / 24"x24"
BENCH . JEWELS RAYMI JW16 LUC



WALL . PALLADIUM LY01 SP 1200x2780 / 48"x110"
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"
COUNTER . VENOM LY04 SP 1200x2780 / 48"x110"



LIGHT GREY



NIMBUS

LY02 SP 1200x2780 / 48"x110"



WALL . NIMBUS LY02 SP 1200x2780 / 48"x110"




FLOOR .
NIMBUS LY02 SP 600x1200 / 24"x48"

TABLE .
JEWELS MOONLESS JW17 LUC
162x3240 / 63³/₄"x127¹/₂"



WALL . NIMBUS LY02 CRYSTAL SP 1200x2780 / 48"x110"

FLOOR . BLUES EGØ VINTAGE BL 04 NAT NØT RECT 300x300 / 12"x12"



SILVER GREY



EXCALIBUR

LY03 SP 1200x2780 / 48"x110"



FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"

WALL . EXCALIBUR LY03 SP 1200x2780 / 48"x110"



WALL . NORR GRÅ RR02 NAT 1200x2780 / 48"x110"
FLOOR . EXCALIBUR LY03 SP 1200x1200 / 48"x48"
BENCH . NORR GRÅ RR02 NAT

FLOOR . EXCALIBUR LY03 ST 800x800 / 31½"x31½" EV9_2/E
WALL . EXCALIBUR LY03 SP 1200x2780 / 48"x110"





WALL . NIMBUS LY02 SP 150x600 / 6"x24"
FLOOR . EXCALIBUR LY03 SP 600x600 / 24"x24"



DEEP GREY



KING

LY09 SP 1200x1200 / 48"x48"



WALL . KING LY 09 SP 1200x2780 / 48"x110"

BENCH . JEWELS GIOIA WHITE JW 13 LOC 1200x2780 / 48"x110"

WALL . KING LY 09 SP 1200x2780 / 48"x110"
FLOOR . JÜRUPA CAMP JP 04 200x1200 / 8"x48"



WALL . KING LY 09 150X600 / 6"x24"



FLOOR . KING LY 09 SP 800x800 / 31 $\frac{1}{2}$ "x31 $\frac{1}{2}$ "
COUNTERTOP . KING LY 09 SP 1200x2780 / 48"x110"



FLOOR . KING LY 09 ST 800x800 / 31¹/₂"x31¹/₂" EV9_2/E
COUNTERTOP . MASTER JP 03 SP 200x1200 / 8"x48"



VELVET DARK



VENOM

LY04 SP 1200x2780 / 48"x110"




WALL . VENOM LY04 SP 1200x2780 / 48"x110"

FLOOR . JURUPA WILD JP05 NAT 200x1200 / 8"x48"



WALL . ALLORE POPPY 1+2 1200x2780 / 48"x110"
FLOOR . VENOM LY04 SP 600x600 / 24"x24"
BENCH. VIRIDIUM LY06 - INDIO LY07 - EXCALIBUR LY03



LIGHT GOLD



AFTERGLOW

LY05 SP 1200x2780 / 48"x110"



WALL . AFTERGLOW LY05 SP PLUME 300x300 / 12"x12"

VANITY TOP . JEWELS GIOIA WHITE JW13 LUC



WALL . AFTERGLOW LY05 SP 1200x2780 / 48"x110"






WALL .
AFTERGLOW LY05 SP 600x1200 / 24"x48"

FLOOR .
JURUPA MASTER JP03 NAT 200x1200 / 8"x48"

BENCH .
VENOM LY04 SP

SOFT GREEN



VIRIDIUM

LY06 SP 600x1200 / 24"x48"



FLOOR . VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE . NIMBUS LY02 SP 1200x2780 / 48"x110"



WALL .
NIMBUS LY02 SP 1200x2780 / 48"x110"

FLOOR .
VIRIDIUM LY06 SP 600x1200 / 24"x48"

TABLE .
NIMBUS LY02 SP

COUNTER .
JURUPA CAMP JP04 NAT 200x1200 / 8"x48"

PALLADIUM LY01

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati Recommended grouts

KERAKOLL	03	
MAPEI	111 Grigio Argento	
LATICRETE	88 Silver Shadow	

Shade variation



Substantial variation



NIMBUS LY02

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm
EVO 2/e

800x800 / 31½"x 31½"
ST SQ

Stucchi consigliati Recommended grouts

KERAKOLL	05	
MAPEI	110 Manhattan	
LATICRETE	89 Smoke Grey	

Shade variation



Substantial variation



EXCALIBUR LY03

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm
800x800 / 31½"x 31½"
ST SQ

Stucchi consigliati
Recommended grouts

KERAKOLL	05
MAPEI	112 Grigio Medio
LATICRETE	78 Sterling Silver

Shade variation



Substantial variation



KING LY09

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm
800x800 / 31½"x 31½"
ST SQ

Stucchi consigliati
Recommended grouts

KERAKOLL	08
MAPEI	114 Antracite
LATICRETE	45 Raven

Shade variation



Substantial variation



V E N O M L Y 0 4

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

20 mm
800x800 / 31½"x 31½"
ST SQ

Stucchi consigliati
Recommended grouts

KERAKOLL	11	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

Shade variation



Substantial variation



A F T E R G L O W L Y 0 5

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
1200x1200 / 48"x48"
SP SQ

600x1200 / 24"x48"
SP SQ

800x800 / 31½"x 31½"
SP SQ

600x600 / 24"x24"
SP SQ - NAT SQ

300x600 / 12"x24"
SP SQ - NAT SQ

150x600 / 6"x24"
SP SQ

Tutti i formati in 9 mm NAT sono realizzati con la tecnologia PERFORMA.
All 9 mm NAT sizes are produced with PERFORMA technology.

Stucchi consigliati
Recommended grouts

KERAKOLL	20	
MAPEI	110 Manhattan	
LATICRETE	89 Smoke Grey	

Shade variation



Substantial variation



VIRIDIUM
LY06

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	19	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

Shade variation



Substantial variation

INDIO
LY07

6 mm
1200x2780 / 48"x110"
SP SQ

9 mm
600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	15	
MAPEI	114 Antracite	
LATICRETE	45 Raven	

Shade variation



Substantial variation

PUMPKIN

LY08

9 mm

600x1200 / 24"x48"
SP SQ

600x600 / 24"x24"
SP SQ

300x600 / 12"x24"
SP SQ

150x600 / 6"x24"
SP SQ



Stucchi consigliati
Recommended grouts

KERAKOLL	31	
MAPEI	112 Grigio Medio	
LATICRETE	78 Sterling Silver	

Shade variation



Substantial variation

FLOOR . PUMPKIN LY 08 SP 600x600 / 24"x24"



NORDIC (FREDDO/COLD) ST

EVO_2/E™ 20 MM



800x800x20 / 31½"x31½"x¾"

2 grafiche
2 graphics

NORDIC è ideale per creare tappeti colorati, dalle nuance fredde o calde, a seconda dell'effetto che si desidera. E' realizzato con triangoli colorati a campitura piena, pertanto è idoneo a ad essere abbinato a tutta la gamma EVO_2/E.

NORDIC is ideal for creating colored rugs, with cold or warm shades, depending on the desired effect. It is made with colored triangles with a full background, therefore it is suitable for being combined with the entire EVO_2/E range.

NORDIC (CALDO/WARM) ST

EVO_2/E™ 20 MM



800x800x20 / 31½"x31½"x¾"

2 grafiche
2 graphics

PLAY WITH ST

EVO_2/E™ 20 MM



LY 03

800x800x20 / 31½"x31½"x¾"

1 grafica
1 graphic

LY 03

800x693x20 / 31½"x27"x¾"

Il decoro PLAY WITH è realizzato con una grafica semplice, ma in grado di formare svariati giochi geometrici, irregolari o forme composte.


















The PLAY WITH decoration is made with simple graphics, but it's possible to create several geometric shapes, irregular or with compound "textures".

FLOOR . NORDIC LY 20 SP 800x800 / 31½"x31½" EVO_2/E


EXCALIBUR LY 03 SP 800x800 / 31½"x31½" EVO_2/E


























RIASSUNTIVO FORMATI E IMBALLI
SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES
规格和包装概述

																
	150x600 6"x24"	300x600 12"x24"	600x600 24"x24"	800x800 31½"x31½"	600x1200 24"x48"	1200x1200 48"x48"	1200x2780 48"x110"	Crystal 1200x2780 48"x110"	800x800 31½"x31½"	800x800 31½"x31½"	800x800 31½"x31½"	800x800 31½"x31½" CALDO / WARM	800x800 31½"x31½" FREDDO / COLD			
	FORMATI - SIZES							DECORI 20 mm - DECORS 20 mm								
Spessore - Thickness	9 mm	9 mm	9 mm	9 mm	9 mm	9 mm	9 mm	6 mm	20 mm	20 mm	20 mm	20 mm	20 mm			
Superficie - Surface	SP SQ	SP SQ	NAT SQ	SP SQ	NAT SQ	SP SQ	SP SQ	SP SQ	SP SQ	ST SQ	ST SQ	ST SQ	ST SQ			
Palladium LY 01	AR5V	UR56	AQQ8	UP94	AQP9	AHZ9	UQ03	ADY2	US07	-	-	AUC6 solo / only LY 03 1 grafica / 1 graphic	A solo / only LY 03 Ottenuto dal taglio del formato 800x800 800x800 cutting size	AUC2 2 grafiche / 2 graphics	AUC1 2 grafiche / 2 graphics	
Nimbus LY 02	AR5W	UR57	AQQ9	UP95	AQQ0	AIA0	UQ04	ADY5	US08	ADM1	ASE7					
Excalibur LY 03	AR5X	UR58	AQR0	UP96	AQQ1	AIA1	UQ05	ADY6	US09	-	ASE8					
King LY 09	AFZ3	AFZ2	AQR6	AFZ1	AQQ7	AIA4	AFZ4	AHG6	AHG1	-	ASE9					
Venom LY 04	AR5Y	UR59	AQR1	UP97	AQQ2	AIA2	UQ06	ADY7	US10	-	ASF0					
Afterglow LY 05	AR5Z	UR60	AQR2	UP98	AQQ3	AIA3	UQ07	ADY8	US11	-	-					
Viridium LY 06	AR6A	UR61	-	UP99	-	-	UQ08	-	ATK4	-	-					
Indio LY 07	ADM5	UR62	-	UQ01	-	-	UQ10	-	ATK4	-	-					
Pumpkin LY 08	AR6B	UR63	-	UQ02	-	-	UQ11	-	-	-	-					
 Peso lordo per scatola Gross weight per box Bruttogewicht pro Karton Poids brut par boîte Peso bruto por caja Вес брутто в коробке	26,92	26,18	22,50	27,36	32,29	61,56	Please refer to: mirage.it					29,70	-	-	-	-
 Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Штук в коробке	14	7	3	2	2	2						1	1	1	1	1
 mq. scatola mq. box mq. Karton mq. boîte mq. caja кв.м в коробке	1,26	1,26	1,08	1,28	1,44	2,88						0,64	-	-	-	-
 Scatole / full pallet Boxes / full pallet Stück / volle Palette Pièces / palette complete Cajas / pallet completo Коробок в паллете	40	40	40	48	35	16						42	-	-	-	-
 mq./pallet	50,40	50,40	43,20	53,76	50,40	46,08						26,88	-	-	-	-


A: Disponibile - Available
 * Decoro su rete - Mesh-backed decoration
 SP: Spazzolata



RIASSUNTIVO FORMATI E IMBALLI
SUMMARY OF SIZES AND PACKAGING
ÜBERSICHT ÜBER FORMATE UND VERPACKUNGEN
RÉCAPITULATIF FORMATS ET EMBALLAGES
SINÓPTICO DE FORMATOS Y EMBALAJES
规格和包装概述

		 Mosaico 36T* 300x300 12"x12"	 Plume 300x300 12"x12"	 Foliage 323x305 12 3/4"x12"	 Battiscopa 72x600 2 7/8"x24"	 Battiscopa 72x800 2 7/8"x31 1/2"	 Gradino B Ang. 330x330 13 1/5"x13 1/5"	 Gradino B 330x600 13 1/5"x24"	 330x800 13 1/5"x31 1/2"	 330x1200 13 1/5"x48"	 Gradino A 300x600 12"x24"	 300x1200 12"x48"	 Gradino G 300x600 12"x24"	 Gradino G 330x800 13 1/5"x31 1/2"
DECORI - DECORS														
Spessore - Thickness														
Superficie - Surface														
		SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP	SP
	Palladium LY 01	ADC6	ADF0	ADD4	ADB8	ALG7	ACX0	ACX8	A	ACY6	ACZ4	ADA2	ADB0	A
	Nimbus LY 02	ADC7	ADF1	ADD5	ADB9	ALG8	ACX1	ACX9	A	ACY7	ACZ5	ADA3	ADB1	A
	Excalibur LY 03	ADC8	ADF2	ADD6	ADC0	ALG9	ACX2	ACY0	A	ACY8	ACZ6	ADA4	ADB2	A
	King LY 09	AIC5	AID7	AID8	AIQ9	ALH2	AIQ3	AIQ4	A	AIQ5	AIQ6	AIQ8	AIQ7	A
	Venom LY 04	ADC9	ADF3	ADD7	ADC1	ALH0	ACX3	ACY1	A	ACY9	ACZ7	ADA5	ADB3	A
	Afterglow LY 05	ADD0	ADF4	ADD8	ADC2	ALH1	ACX4	ACY2	A	ACZ0	ACZ8	ADA6	ADB4	A
	Viridium LY 06	ADD1	ADF5	ADD9	ADC3	-	ACX5	ACY3	A	ACZ1	ACZ9	ADA7	ADB5	A
	Indio LY 07	ADD2	ADF6	ADE0	ADC4	-	ACX6	ACY4	A	ACZ2	ADA0	ADA8	ADB6	A
	Pumpkin LY 08	ADD3	ADF7	ADE1	ADC5	-	ACX7	ACY5	A	ACZ3	ADA1	ADA9	ADB7	A
	Pezzi per scatola Pieces for box Stück pro Karton Pièces pour boîte Piezas por caja Иллык в коробке	6	6	10	10	10	4	4	2	2	7	4	7	

A: Disponibile - Available
 * Decoro su rete - Mesh-backed decoration
 SP: Spazzolata



PERFORMA

TECHNOLOGY

Mirage PERFORMA è la tecnologia in grado di unire alle prestazioni più elevate il massimo grado di ricerca estetica.

Le lastre Mirage PERFORMA si caratterizzano infatti per un effetto particolarmente morbido al tatto, garantendo un elevato coefficiente di scivolosità.

Mirage PERFORMA is a technology able to combine top performance with the very best in style research.

The hallmark of Mirage PERFORMA slabs is their particularly soft, smooth feel, with high slip resistance ratings.

ADVANTAGES/VANTAGGI



La superficie delle collezioni PERFORMA è particolarmente morbida e vellutata al tatto.

The surface of the PERFORMA collections are particularly soft and smooth to the touch.



PERFORMA garantisce un'elevata resistenza allo scivolamento, con coefficiente di scivolosità R10 A+B.

Performa guarantees excellent slip resistance, with a R10 A+B rating.



Nessuna rinuncia nell'estetica, che rimane ricca e dettagliata.

And the style remains richly detailed.

Per saperne di più | More information
www.mirage.it

STANDARD EN 14411 - G

	CARATTERISTICHE TECNICHE TECHNICAL DATA TECHNISCHE DATEN CARACTERISTIQUES TECHNIQUES CARACTERISTICAS TECNICAS ТЕХНИЧЕСКИЕ ХАРАКТЕРИСТИКИ 技术特征	NORMA STANDARD NORM NORME NORMA НОРМА 标准	VALORI PRESCRITTI DALLE NORME EN 14411 - G INTERNATIONAL STANDARDS EN 14411 - G INTERNATIONALE NORMWERTE EN 14411 - G VALEURS PREVUES PAR LES NORMES EN 14411 - G VALORES PREVISTOS POR LAS NORMAS EN 14411 - G ПРЕДУСМОТРЕННЫЕ СТАНДАРТОМ EN 14411 - G 标准规定值	VALORE MEDIO MIRAGE MIRAGE AVERAGE VALUE MIRAGE MITTELWERT VALEURS MOYEN MIRAGE VALOR MEDIO MIRAGE СРЕДНЕЕ ЗНАЧЕНИЕ MIRAGE MIRAGE平均值	
	CARATTERISTICHE DIMENSIONALI - SIZE CHARACTERISTICS - MASSEIGENSCHAFTEN DETERMINATION DES CARACTERISTIQUES DIMENSIONELLES - CARACTERISTICAS DIMENSIONALES - РАЗМЕРНЫЕ ХАРАКТЕРИСТИКИ - 尺寸特征				
	LATI SIDES - SEITEN COTES - CANTOS РАЗМЕРЫ СТОРОН - 侧边	EN ISO 10545-2	± 0,3% MAX (± 1,0 mm MAX)	CONFORME COMPLYING	
	SPESSORE THICKNESS - DICKE EPAISSEUR - ESPESOR ТОЛЩИНА - 厚度	EN ISO 10545-2	± 5,0% MAX (± 0,5 mm MAX)	CONFORME COMPLYING	
	RETTILINEITÀ DEGLI SPIGOLI STRAIGHTNESS OF SIDES - GERADLINIGKEIT DER KANTEN RECTITUDE DES ARETES - RECTITUD DE LOS CANTOS КОСОУГОЛЬНОСТЬ - 边角平直度	EN ISO 10545-2	± 0,3% MAX (± 0,8 mm MAX)	CONFORME COMPLYING	
	ORTOGONALITÀ RECTANGULARITY - RECHTWINKLIGKEIT PERPENDICULARITÉ - ORTOGONALIDAD КРИВИЗНА СТОРОН - 直角度	EN ISO 10545-2	± 0,3% MAX (± 1,5 mm MAX)	CONFORME COMPLYING	
	PLANARITÀ SURFACE FLATNESS - EBENFLÄCHIGKEIT PLANEITE DE SURFACE - PLANEIDAD КРИВИЗНА ЛИЦЕВОЙ ПОВЕРХНОСТИ - 平整度	EN ISO 10545-2	± 0,4% MAX (± 1,8 mm MAX)	CONFORME COMPLYING	
	ASSORBIMENTO D'ACQUA WATER ABSORPTION - WASSERAUFNAHME ABSORPTION D'EAU - ABSORCIÓN DE AGUA ВОДОПОГЛОЩЕНИЕ - 吸水率	EN ISO 10545-3	≤ 0,5%	≤ 0,1%	
	RESISTENZA ALLA FLESSIONE FLEXION RESISTANCE - BIEGEFESTIGKEIT RESISTANCE A LA FLEXION - RESISTENCIA A LA FLEXIÓN ПРЕДЕЛ ПРОЧНОСТИ ПРИ ИЗГИБЕ - 抗弯强度	EN ISO 10545-4	S ≥ 700 N (< 7,5 mm) S ≥ 1.300 N (> 7,5 mm) R ≥ 35 N/mm².	≠ 6 mm: S ≥ 1100N R ≥ 48 N/mm² ≠ 9 mm: S ≥ 2.400N R ≥ 48 N/mm² ≠ 20 mm: S ≥ 12.500N R ≥ 48 N/mm²	
	RESISTENZA ALL'URTO IMPACT RESISTANCE - STOSSFESTIGKEIT RESISTANCE AUX CHOCES - RESISTENCIA A LOS GOLPES УДАРСТОЙКОСТЬ - 抗冲击强度	EN ISO 10545-5	VALORE DICHIARATO DECLARED VALUE	> 0,80	
	RESISTENZA ALL'ABRASIONE ABRASION RESISTANCE - ABRIEFESTIGKEIT RESISTANCE A L'ABRASION - RESISTENCIA A LA ABRASIÓN СТОЙКОСТЬ К ИСТИРАНИЮ - 耐磨强度	EN ISO 10545-6	≤ 175 mm³	< 150 mm³	
	COEFFICIENTE DI DILATAZIONE TERMICA LINEARE COEFFICIENT OF LINEAR THERMAL-EXPANSION - LINEARER WÄRMEAUDEHNUNGSKOEFFIZIENT COEFFICIENT DE DILATATION THERMIQUE LINEAIRE - COEFICIENTE DE DILATACIÓN TÉRMICA LINEAL КОЭФФИЦИЕНТ ЛИНЕЙНОГО ТЕРМИЧЕСКОГО РАСШИРЕНИЯ - 线性热膨胀系数	EN ISO 10545-8	—	α=6,6x10 ⁻⁶ °C ⁻¹	
	RESISTENZA AGLI SBALZI TERMICI RESISTANCE TO THERMAL SHOCKS - BESTÄNDIGKEIT GEGEN TEMPERATURSCHWANKUNGEN RESISTANCE AUX CHOCES THERMIQUES - RESISTENCIA A LOS CHOQUES TÉRMICOS СТОЙКОСТЬ К ПЕРЕПАДАМ ТЕМПЕРАТУРЫ - 耐热突变性	EN ISO 10545-9	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA AL GELO FROST RESISTANCE - FROSTBESTÄNDIGKEIT RESISTANCE AU GEL - RESISTENCIA AL HIELO МОРОЗОСТОЙКОСТЬ - 耐冻性	EN ISO 10545-12	TEST SUPERATO SECONDO EN ISO 10545-1 PASS ACCORDING EN ISO 10545-1	NESSUN DANNO NO DAMAGE	
	RESISTENZA ALL'ATTACCO CHIMICO RESISTANCE TO CHEMICALS - CHEMIKALIENBESTÄNDIGKEIT RESISTANCE A L'ATTAQUE CHIMIQUE - RESISTENCIA QUÍMICA ХИМИЧЕСКАЯ СТОЙКОСТЬ - 耐化学品作用	EN ISO 10545-13	B MIN.	A LA HA	
	RESISTENZA ALLE MACCHIE RESISTANCE TO STAINS - FLECKENBESTÄNDIGKEIT RESISTANCE AUX TACHES - RESISTENCIA A LAS MANCHAS УСТОЙЧИВОСТЬ К ПЯТНООБРАЗОВАНИЮ - 防污性	EN ISO 10545-14	VALORE DICHIARATO DECLARED VALUE	5	
	CESSIONE DI PIOMBO E CADMIO LEAD AND CADMIUM DISCHARGE - ABGABE VON BLEI UND CADMIUM PERTE DE PLOMB ET CADMIUM - CESIÓN DE PLOMO Y CADMIO ВЫДЕЛЕНИЕ СВИНЦА И КАДМИЯ - 铅和镉的排放	EN ISO 10545-15	VALORE DICHIARATO DECLARED VALUE	< AL LIMITE DI RILEVAMENTO < THAN INSTRUMENT LIMIT	
	SCIVOLOSITÀ SKID RESISTANCE - RUTSCHWERT GLISSANCE - ADHERENCIA СКОЛЬЗКОСТЬ - 防滑性				
			SP	NAT	ST (20 mm)
	DM 236/89 BCRA	> 0,40	0,40	0,40	0,40
	ASTM C1028	SCOF > 0,60	0,60	0,60	0,60
	ANSI A1371	Wet DCOF > 0,42	0,42	0,42	-
	AS 4586:2013	-	P2	-	-
	BS7976 - Gom.45 - Slid.96	Dry -	-	-	-
	BS7976 - Gom.45 - Slid.96	Wet -	-	-	-
	BS7976 - Gom.TRL - Slid.55	Dry -	-	-	-
	BS7976 - Gom.TRL - Slid.55	Wet -	-	-	-
	DIN 51130	-	R9	R10	R11
	DIN 51097	-	-	A+B	A+B+C
	ENV 12633	≥ CL1	-	-	-
	BS 7976	≥ 36	-	-	-

Per i certificati specifici, contattare Mirage SpA - For specific certificates, please contact Mirage SpA - Für die speziellen Zertifikate wenden Sie sich bitte an Mirage SpA - Pour les certificats spécifiques, veuillez contacter Mirage SpA
Para los certificados específicos, contactar Mirage SpA - Для сертификатов обращайтесь в компанию Mirage SpA - 关于具体的证书, 请联系 Mirage SpA 公司



Made in Italy

www.mirage.it



Mirage Granito Ceramico S.p.a.
41026 - Pavullo (MO) ITALY - Via Giardini Nord, 225
Tel. +39 0536 29611 - Fax +39 0536 21065
info@mirage.it - www.mirage.it

Mirage Project Point
20121 - Milano ITALY
Via Marsala, 7
Tel. +39 02 65560879

projectpoint-mi@mirage.it
www.mirageprojectpoint.com/milano

Mirage USA INC.
618 Grassmere Park Dr - Suite 1-2
Nashville - Tennessee (TN) - 37211
Ph. +1 615 834 3888
TAX ID: 75 2773306

info@mirageusa.net
www.mirageusa.net

Mirage Project Point Dubai
Building 7 - Ground Floor
d3 Dubai Design District
United Arab Emirates
Ph. +971 4 554 3944
Licence No. 93659

projectpoint-uae@mirage.it
www.mirageprojectpoint.com/dubai